Procedure:	Code:
Arthrotomy, Mosaicplasty & Chondral Repair	W8150 W3110
Arthroplasty	

Sets:	Sets:	Sutures:
Minor ortho set Pituitary Rongeur Drill reamer Med. Langenback retractors	Smith & Nephew Rep: London Jonny 07949726351 or Bristol Simon 07949706524	1 Vicryl 9373 x 2 0 Vicryl 9138 x 1 3/0 Vicryl 9581 x 1
Depuy MITEK COR™ (Ioan set)  Smith & Nephew 5x 72201491 ULTRA FAST- FIX, Curved 72201492 ULTRA FAST- FIX, Reverse Curved 72201494 ULTRA FAST- FIX AB, Curved 72201495 ULTRA FAST- FIX AB, Reverse Curved 72201537 Knot	72200965 TRUKOR site preparation instruments. Trufit CB implants available as follows: 72200930 Trufit CB plug 5mm 72200932 Trufit CB plug 7mm 72200934 Trufit CB plug 9mm 72200936 Trufit CB plug 11mm  Trufit CB disposable Drill	Extras: Light handles Syringe 20 ml Suction tubing Green needle Filter needle Scissors Syringe 20 ml Diathermy pouch Mini yankuer sucker
Pusher/Suture Cutter	sleeve: 72200937 Drill sleeve 5mm	
Swabs: Small x 1 Large x 2	72200938 Drill sleeve 7mm 72200939 Drill sleeve 9mm 72200940 Drill sleeve 11mm	Pharmacy: Bupivicaine 0.5% with Adrenaline 1:200,000 x 20 ml
Blades: 10 x 2 15 x 1	Baxter AG – TISSEEL, Fibrin Glue Kit, 2 mL, with DUPLOJECT System + FIBRINOTHERM device	

Prep: Alcoholic Betadine

<ul><li>Urape:</li><li>Impervious split U sheet</li></ul>	• Steri strips ½"
<ul> <li>Orthopaedic U drape</li> <li>Vernaid stockinette 15 x 140cm</li> <li>Large patient drape x 3</li> <li>Large barrier flex/ opsite</li> </ul>	<ul> <li>Padded Tegaderm long x2</li> <li>Padded Tegaderm Short x1</li> <li>6" Crepe bandage x 1</li> <li>6" Velband x 1</li> </ul>
Table Set-up:	Theatre Set-up:
<ul> <li>Supine with lateral support level with lower edge of tourniquet and by patient's thigh (Amatech Supports)</li> <li>Heel gel support contralateral limb</li> <li>Black roll foot support</li> </ul>	<ul> <li>Laminar Flow</li> <li>Razor for shaving leg &amp; Yellow bin bag</li> <li>Torniquet 350 mmHG– Velband underneath- Mr Hardy to apply</li> </ul>

## **General Information:**

- Stick NO ENTRY signs on every theatre door to avoid reducing positive theatre pressure
  Ensure that trolley is within the laminar flow enclosure while opening TRAYS and CONSUMABLES, cover after layout
  Don't allow patient to enter theatre until set up done
  Ensure RUNNER avoids going within the laminar flow enclosure after layout to reduce dust after anaesthetic set up
  Yellow bin should be lined with yellow bag for shaving if necessary
  Mr Hardy to supervise tourniquet and posts

- Mr. Hardy will prep patient's foot first with Alcoholic Betadine. 8 ½ glove for the patient's foot and prep the rest of the limb to the tourniquet cover Impervious split U sheet, then Vernaid stockinette and then Orthopaedic U and other drapes. Scissors to expose betadine covered knee. Carefully clean skin over knee with alcoholic pink Chlorhexidine before drying skin and sticking the Barrier Flex clear film to the skin

Surgeon's Signature: